
	Document Category Safety Data Sheet	Approved:  Approval: Technical Manager
Prepared By: Brooke DiDomenico Administrative Control: Administrative Controller	Instruction No. SDS-003 SULFANILIC ACID	Issue No: 2 Issue Date: 8/28/18 Page 1 of 12

SECTION 1 – IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 PRODUCT IDENTIFIER

TRADE NAME: Sulfanilic Acid
CAS NUMBER: 121-57-3

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

USAGE: Industrial intermediates for the synthesis of organic chemicals

1.3 DETAILS OF THE SUPPLIER OF SAFETY DATA SHEET

MANUFACTURER: NATION FORD CHEMICAL COMPANY
2300 Banks Street
Fort Mill, South Carolina 29715
United States of America

EMAIL: INFO@NATIONFORDCHEM.COM

PRODUCT INFO TELEPHONE: +1-803-548-3210

1.4 EMERGENCY TELEPHONE NUMBER

CHEMTREC: +1-800-424-9300

SECTION 2 - HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF A SUBSTANCE OR MIXTURE

Classification in accordance with Regulation (EC) No 1272/2008 and 29CFR 1910.1200 (OSHA).

Skin Irritant: Category 2 H315
Eye Irritant: Category 2A H319
Skin Sensitizer: Category 1 H317

2.2 LABEL ELEMENTS



Labelling in accordance to Regulation (EC) No 1272/2008 and 29CFR 1910 (OSHA).

HAZARD PICTOGRAMS



GHS07

SIGNAL WORD: Warning

	Document Category Safety Data Sheet	Approved:  Approval: Technical Manager
Prepared By: Brooke DiDomenico Administrative Control: Administrative Controller	Instruction No. SDS-003 SULFANILIC ACID	Issue No: 2 Issue Date: 8/28/18 Page 2 of 12

HAZARD STATEMENTS:

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

PRECAUTIONARY STATEMENTS:

P261 Avoid breathing dust.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves.
P302/352 IF ON SKIN: Wash with plenty of soap and water.
P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321 Specific treatment (see supplemental first aid instructions on this label).
P333/313 If skin irritation or rash occurs: Get medical attention.
P337/313 If eye irritation persists: Get medical attention.
P362/364 Take off contaminated clothing and wash before reuse.
P501 Dispose of contents in accordance with local regulations.

Other hazards

RESULTS OF PBT AND vPvB ASSESSMENT:

PBT No
vPvB No

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

3.1 SUBSTANCES



SUBSTANCE NAME: Sulfanilic Acid
CAS NUMBER: 121-57-3
EINECS NUMBER: 204-482-5
REACH REGISTRATION NUMBER: 01-2119541820-45-0000
INDEX NUMBER: 612-014-00-X
PURITY: 99+%
SYNONYMS: 4-Aminobenzenesulfonic acid
p-anilinesulfonic acid
Sulphanilic acid

SECTION 4 - FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES

GENERAL INFORMATION Immediately remove any clothing soiled by the product. Provide oxygen treatment if affected person has difficulty breathing. Take affected persons out into the fresh air.

INHALATION If large amounts are inhaled, remove to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, administer oxygen and call a physician.

	Document Category Safety Data Sheet	Approved:  Approval: Technical Manager
Prepared By: Brooke DiDomenico Administrative Control: Administrative Controller	Instruction No. SDS-003 SULFANILIC ACID	Issue No: 2 Issue Date: 8/28/18 Page 4 of 12

SECTION 6 – ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Ensure suitable personal protection (including respiratory protection) during removal of spillages. Sweep up, place in drum and hold for approved waste disposal in compliance with local, state, and federal requirements. Avoid breathing dust. Avoid skin and eye contact and inhalation.

6.2 ENVIRONMENTAL PRECAUTIONS

Do not allow to enter drains, sewers or watercourses.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

Protect against dust. Clear up spillages, transfer to a container for disposal. Wash the spillage area clean.

6.4 REFERENCE TO OTHER SECTIONS

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7 – HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Store in well ventilated areas. Keep container tightly closed and dry. Do not store with acids. Take precautionary measures against static discharges.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

REQUIREMENTS TO BE MET BY STOREROOMS AND RECEPTACLES



Store in a dry place.
Keep away from sources of ignition and strong oxidizing agents.
Do not use food containers. Risk of confusion!
Containers are clearly and permanently labelled.
Store in the original container if possible.
Keep container tightly closed.

INFORMATION ABOUT STORAGE IN ONE COMMON STORAGE FACILITY

Do not store together with acids.
Store away from foodstuffs.
Store away from flammable substances.

FURTHER INFORMATION ABOUT STORAGE CONDITIONS:

The storage in one common storage facility with materials belonging to another storage classes is only possible under certain conditions.
The substance should not be stored with substances, which can lead to dangerous reactions. Keep container tightly sealed.

	Document Category Safety Data Sheet	Approved:  Approval: Technical Manager
Prepared By: Brooke DiDomenico Administrative Control: Administrative Controller	Instruction No. SDS-003 SULFANILIC ACID	Issue No: 2 Issue Date: 8/28/18 Page 5 of 12

7.3 SPECIFIC END USE(S)

See exposure scenarios in Annex 1, 2, & 3

SU9	Manufacture of fine chemicals
SU10	Formulation [mixing] of preparations and/or re-packaging (excluding alloys)

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

DNEL VALUES

DERMAL (LONG TERM EXPOSURE) 3.33 mg/kg bw/day

INHALATION (LONG TERM EXPOSURE) 6.67 mg/m³

PNEC VALUES

PNEC _{aqua} (freshwater)	0.023 mg/L; Assessment factor 1000
PNEC _{aqua} (marine water)	0.0023 mg/L; Assessment factor 10000
PNEC _{aqua} (intermittent releases)	0.23 mg/L; Assessment factor 100
PNEC _{STP}	100 mg/L

This product does not have an ACGIH TLV or OSHA PEL.

INGREDIENTS WITH LIMIT VALUES THAT REQUIRE MONITORING AT THE WORK PLACE:

Contains no substances with occupational exposure limits.

ADDITIONAL INFORMATION:

The lists valid during the making were used as basis.

8.2 EXPOSURE CONTROLS:

PERSONAL PROTECTIVE EQUIPMENT GENERAL PROTECTIVE AND HYGIENIC MEASURES:

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.



VENTILATION:

A general exhaust system is recommended.

RESPIRATORY PROTECTION

NIOSH/MSHA approved respirator or follow the requirement of the local governing body.



In case of an accidental release it is recommended to wear respiratory protection such as particle filter P2 or P3.

	Document Category Safety Data Sheet	Approved:  Approval: Technical Manager
Prepared By: Brooke DiDomenico Administrative Control: Administrative Controller	Instruction No. SDS-003 SULFANILIC ACID	Issue No: 2 Issue Date: 8/28/18 Page 6 of 12

HAND PROTECTION	Protective gloves according to proper IH procedures.
EYE/FACE PROTECTION	In cases where there is likelihood of eye contact, wear chemical goggles.
SKIN AND BODY PROTECTION	Protective work clothing.
ENVIRONMENTAL EXPOSURE	Product as well as with product contaminated constituents, cleaning or solvent: do not release into the environment. Dispose of as hazardous waste in accordance with EC directives on waste.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Color	White to light gray powder
Form	Solid
Odour	Odourless
Odour threshold	Not determined
pH	2.5
Melting / Freezing Point	The substance decomposes before melting.
Boiling point	The substance decomposes before boiling.
Flash Point	Not applicable
Evaporation Rate	Not applicable
Flammability (solid, gaseous)	Product is not flammable
Upper Explosion Limit	Not determined
Lower Explosion Limit	Not determined
Vapour Pressure	< 0.01 hPa
Density	1.862 g/cm ³
Solubility in / Miscibility with Water (20°C)	12 g/l (Value used in CSA)
Segregation coefficient (n-octanol/ water) at 25°C	-2.3 log POW
Ignition Temperature	
Decomposition Temperature	ca. 288 °C

	Document Category Safety Data Sheet	Approved:  Approval: Technical Manager
Prepared By: Brooke DiDomenico Administrative Control: Administrative Controller	Instruction No. SDS-003 SULFANILIC ACID	Issue No: 2 Issue Date: 8/28/18 Page 7 of 12

Self-igniting	331 °C at 1013 hPa (Value used for CSA)
Danger of Explosion	No data available.
Dynamic Viscosity	Not applicable
Kinematic Viscosity	Not applicable

SECTION 10 - STABILITY AND REACTIVITY

10.1 REACTIVITY

No data available.

10.2 CHEMICAL STABILITY

Stable at normal storage and handling conditions

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No data available.

10.4 CONDITIONS TO AVOID

No data available.

10.5 INCOMPATIBLE MATERIALS

Strong oxidizers, acids



10.6 HAZARDOUS DECOMPOSITION PRODUCTS

The substance emits toxic fumes of carbon monoxide, carbon dioxide, and oxide of sulfur and nitrogen under fire conditions. If involved in a fire, it may emit noxious and toxic fumes.



SECTION 11 - TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Inhalation	Dust may be irritant to the upper respiratory tract.
Ingestion	Unlikely to be hazardous if swallowed.
Eye Contact	Irritating to eyes.
Skin Contact	Irritating to skin.

	Document Category Safety Data Sheet	Approved:  Approval: Technical Manager
Prepared By: Brooke DiDomenico Administrative Control: Administrative Controller	Instruction No. SDS-003 SULFANILIC ACID	Issue No: 2 Issue Date: 8/28/18 Page 8 of 12

Long-Term Exposure	No long-term effects have been identified.
Acute Oral Toxicity	LD ₅₀ : >2000 mg/kg bw (rat) OECD Guideline 423 (Acute Oral Toxicity – Acute Toxic Class Method)
Acute Dermal Toxicity	LD ₅₀ : >2000 mg/kg bw (rat) OECD Guideline 402 (Acute Dermal Toxicity)
Acute Inhalation Toxicity	No study performed as exposure is highly unlikely due to low vapor pressure.
Skin Irritation/Corrosion	Not an irritant per testing. Classification is according to CLP Harmonized Classification. OECD Guideline 405 (Acute Eye Irritation/Corrosion)
Eye Irritation/Corrosion	Rabbit ca. 2(mean) (Time Point: 24, 48, and 72h) (fully reversible)
Skin Sensitization	Not a sensitizer per testing. Classification is according to CLP Harmonized Classification. OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)
Germ Cell Mutagenicity <i>in vitro</i> :	Negative; <i>S. typhimurium</i> Doses: 1-1000 µg/plate Equivalent or similar to OECD Guideline 471 (Bacterial Reverse Mutation Assay)
<i>in vivo</i> :	Negative; mouse and rat C. Westmoreland and D.G. Gatehouse (1991)
Carcinogenicity	Not a carcinogen Borzelleca rat/mice No component of this substance present at levels greater than or equal to 0.1% is identified as a probable, possible, or confirmed carcinogen by IARC, ACGIH, NTP or OSHA.
Reproductive toxicity oral	NOAEL: 1000 mg/kg bw/day OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)
STOT: Single Exposure	No Information Available

	Document Category Safety Data Sheet	Approved:  Approval: Technical Manager
Prepared By: Brooke DiDomenico Administrative Control: Administrative Controller	Instruction No. SDS-003 SULFANILIC ACID	Issue No: 2 Issue Date: 8/28/18 Page 9 of 12

STOT: Repeated Exposure

No Information Available

SECTION 12 - ECOLOGICAL INFORMATION

12.1 TOXICITY

Toxicity to Fish

Fish (low toxicity to fish)
LC50: 100,8 mg/L
Exposure time: 96 h

Toxicity to Aquatic Invertebrates

Daphnia (Harmful to aquatic invertebrates)
EC50: 85,7 mg/L
Exposure time: 48 h

12.2 PERSISTANCE AND DEGREDEABILITY

Readily Biodegradable (Method: OECD Guideline 301D)

12.3 BIOACCUMULATIVE POTENTIAL

Due to the distribution coefficient n-octanol/water an accumulation in organisms is not expected.

12.4 MOBILITY IN SOIL

No further relative information available

Other Information

Elimination: COD Removal, adapted activated OECD test
Sludge Assessment: Readily biodegradable, according to appropriate OECD test.
Water Solubility Results: The substance is soluble in water.

12.5 RESULTS OF PBT AND VPVB ASSESSMENT

PBT	Not applicable
vPvB	Not applicable

12.6 OTHER ADVERSE EFFECTS

No further relevant information available



ECOTOXICAL EFFECTS

Remark

The substance is substantially removed in a biological treatment process. Tests show that the inhibition of aerobic waste water bacterial is unlikely.

Other information

Ecotoxicity: This environmental hazard assessment is based on information available on similar substances and actual test.

	Document Category Safety Data Sheet	Approved:  Approval: Technical Manager
Prepared By: Brooke DiDomenico Administrative Control: Administrative Controller	Instruction No. SDS-003 SULFANILIC ACID	Issue No: 2 Issue Date: 8/28/18 Page 10 of 12

ADDITIONAL ECOLOGICAL INFORMATION

General Notes

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system

SECTION 13 - DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Dispose of according to local, state, and national guidelines. Must not be disposed together with household garbage. Do not allow product to reach sewage system.

SECTION 14 - TRANSPORT INFORMATION

Substance is not classified as dangerous for transportation.

SECTION 15 – REGULATORY INFORMATION

CERCLA

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by CERCLA Title 40, Part 302.4.

SARA 311/312

Refer to Section 2 for OSHA Hazard Classification.

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

TSCA

This substance is listed in the TSCA database.

California Proposition 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Chemical Safety Assessment

A Chemical Safety Assessment has been carried out

SEVESO Substance

No

SECTION 16 - OTHER INFORMATION



This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date of Last Revision

August 21, 2018

Further Information

All the information mentioned in this SDS are compliant with the COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the

	Document Category Safety Data Sheet	Approved:  Approval: Technical Manager
Prepared By: Brooke DiDomenico Administrative Control: Administrative Controller	Instruction No. SDS-003 SULFANILIC ACID	Issue No: 2 Issue Date: 8/28/18 Page 11 of 12



Registration, Evaluation, Authorisation and Restriction of
Chemicals (REACH)

Abbreviations and Acronyms

EC50:	Effective concentration, 50 percent
GHS:	Globally Harmonized System of Classification and Labelling of Chemicals
EINECS:	European Inventory of Existing Commercial Chemical Substances
CAS:	Chemical Abstracts Service (division of the American Chemical Society)
LC50:	Lethal concentration, 50 percent
LD50:	Lethal dose, 50 percent

Annexes

Annex 1:	Exposure Scenario 1 – Manufacturing
Annex 2:	Exposure Scenario 2 – Manufacturing of fine chemicals
Annex 3:	Exposure Scenario 3 – Formulation

	Document Category Safety Data Sheet	Approved:  Approval: Technical Manager
Prepared By: Brooke DiDomenico Administrative Control: Administrative Controller	Instruction No. SDS-003 SULFANILIC ACID	Issue No: 2 Issue Date: 8/28/18 Page 12 of 12

Annex 1: Exposure Scenario 1 – Manufacturing

PROCESS	DURATION	RESPIRATORY PROTECTION	FURTHER RISK MANAGEMENT MEASURES
PROC 1: Use in a closed process, no likelihood of exposure	> 4 hours (default)	No	No
PROC 2: Use in a closed, continuous process with occasional controlled exposure	> 4 hours (default)	No	No
PROC 3: Use in a closed batch process (synthesis or formulation)	> 4 hours (default)	No	No
PROC 4: Use in a batch and other process (synthesis) where opportunity for exposure arises	> 4 hours (default)	90%	Gloves: 80% effective
PROC 8A: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities	1 – 4 hours	90%	Gloves: 80% effective
PROC 8B: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities	> 4 hours (default)	90%	Gloves: 80% effective

Setting – Industrial; Form – Solid; Dustiness – High; Ventilation – Indoor w/o LEV;

Annex 2: Exposure Scenario 2 – Manufacturing of Fine Chemicals

PROCESS	DURATION	RESPIRATORY PROTECTION	FURTHER RISK MANAGEMENT MEASURES
PROC 3: Use in a closed batch process (synthesis or formulation)	> 4 hours (default)	No	No
PROC 4: Use in a batch and other process (synthesis) where opportunity for exposure arises	> 4 hours (default)	No	No
PROC 15: Use of laboratory reagents in small scale laboratories	> 4 hours (default)	No	No

Setting – Industrial; Form – Solid; Dustiness – High; Ventilation – Indoor w/o LEV;

Annex 3: Exposure Scenario 3 – Formulation

PROCESS	DURATION	RESPIRATORY PROTECTION	FURTHER RISK MANAGEMENT MEASURES
PROC 4: Use in a batch and other process (synthesis) where opportunity for exposure arises	> 4 hours (default)	90%	Gloves: 80% effective